






高扭力時規皮帶輪 S3M HIGH TORQUE TIMING PULLEYS < S3M PULLEYS >




Tooth Shape :



Type	Material	Treatment	Flange	Flange Treatment
PLAAA	A7075	Anodize	A6061	Anodize
PLAEA		Electroless nickel		Electroless nickel
PLS	1045	—	1045	—
PLSS	SUS303	—	A6061	Anodize



Type	Catalog No.			Bore configuration	Bore dh7				Bore W only (1mm Increment)		P.D.	O.D.	D	F	E		
	No. of teeth	Teeth Width Code	Pulley Shapes		U.T.TG Hole		W Hole		Z							J	
					AF	BF,DF	AF	BF,DF	AF	BF,DF							
PLAAA PLAEA PLS PLSS	14	S3M007 A:7 W:11 L:19	DF	U	—	4~6	—	—	—	—	13.37	12.61	16	16	10		
	15					4~6	—	—	—		14.32	13.56	18	18	11		
	16					4~7	—	—	—		15.28	14.52	20	20	13		
	18					4~8	—	—	—		17.19	16.43	22	22	14		
	20					4~8	—	—	—		19.1	18.34	25	25	16		
	22					4~10	—	—	—		21.01	20.25	14	25	16		
	24					4~10	—	—	—		22.92	22.16	16	28	18		
	25					4~11	—	—	—		23.87	23.11	18	30	20		
	26					4~11	—	—	—		24.83	24.07	20	32	23		
	28					4~13	—	—	—		26.74	25.98	22	35	25		
	30	6~14	AF	TG	W	—	6~12	6~12	6~9	9~15	9~12	(AF) 2 ≤ J ≤ W-2	28.65	27.89	30	44	32
	32	6~12					6~13	6~9	9~16	9~12	30.56		29.8	32	48	36	
	34	6~18					6~13	6~15	6~14	9~19	9~18		32.47	31.71	34	50	38
	36	6~18					6~13	6~15	6~14	9~19	9~18		34.38	33.62	34	52	40
	40	8~23					8~16	8~18	8~17	11~22	11~21		38.2	37.44	39	61	46
	44	8~25					8~18	8~22	8~18	11~26	11~22		42.02	41.25	—	—	—
	48	8~25					8~20	8~24	8~19	11~28	11~24		45.84	45.07	—	—	—
	50	8~28					8~20	8~25	8~19	11~30	11~24		47.75	46.98	—	—	—
	50	8~28					8~20	8~25	8~19	11~30	11~24		47.75	46.98	—	—	—
	60	8~32					8~22	8~28	8~24	11~34	11~28		57.3	56.53	—	—	—



Order TYPE — Catalog No. — Bore configuration

訂貨代號 PLAA — 30S3M017BF — T10


PS1 : if you need another exceptional to process the specifications form, please contact us.
 PS2 : Bore,Key Groove & Set Screw match,Please refer to **【Core & Key Groove & Set Screw Design Form】** .



Core & Key Groove & Set Screw Design Form

Core&Key Groove Dimension Form

dH7	Key Groove Width bjs9		Depth	tolerance
8	3	±0.0125	1.4	+ 0.1 0
9				
10				
11	4	±0.015	1.8	
12				
13				
14	5	±0.015	2.3	
15				
16				
17				
18	6	±0.015	2.8	
19				
20				
21				
22	8	±0.018	3.3	+ 0.2 0
23				
24				
25				
26				
28				
29				
30				
31				
32				
33	10	±0.0215	3.8	
34				
35				
38				
40	12	±0.0215	3.8	
42				
43				
44				
45	14	±0.0215	3.8	
46				
47				
48				
50				
50				



Core&Set Screw Form

dH7	M
4	M3
5	
6	
6.35	
7	
8	M4
9	
10	
11	
12	M5
13	
14	
15	
16	
17	M6
18	
19	
20	
21	
22	
23	
24	
25	
26	
28	M8
29	
30	
31	
32	
33	
34	
35	
37	M10
38	
40	
42	
43	
44	
45	
46	
47	
48	
50	
52	
55	
57	
60	